

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED

JUN 21 2005

Technology Center 2100

In re application of:

NOBORU FURUUMI et al.

Application No.: 10/722,781

Filed: November 25, 2003

For: INFORMATION PROCESSING
SYSTEM, STORAGE SYSTEM,
STORAGE DEVICE CONTROL
APPARATUS AND PROGRAM

Customer No.: 20350

Examiner: Unassigned

Technology Center/Art Unit: 2186

Confirmation No.: 7247

**PETITION TO MAKE SPECIAL FOR
NEW APPLICATION UNDER M.P.E.P.
§ 708.02, VIII & 37 C.F.R. § 1.102(d)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This is a petition to make special the above-identified application under MPEP § 708.02, VIII & 37 C.F.R. § 1.102(d). The application has not received any examination by an Examiner.

(a) The Commissioner is authorized to charge the petition fee of \$130 under 37 C.F.R. § 1.17(i) and any other fees associated with this paper to Deposit Account 20-1430.

(b) All the claims are believed to be directed to a single invention. If the Office determines that all the claims presented are not obviously directed to a single invention, then Applicants will make an election without traverse as a prerequisite to the grant of special status.

(c) Pre-examination searches were made of U.S. issued patents, including a classification search and a computer database search. The searches were performed on or around October 11, 2004, and were conducted by a professional search firm, Kramer & Amado, P.C. The classification search covered Class 707 (subclasses 200 and 201), Class 711 (subclass 162), and Class 710 (subclasses 300 and 305) for the U.S. and foreign subclasses identified above. The computer database search was conducted on the USPTO systems EAST and WEST. The inventors further provided a reference considered most closely related to the subject matter of the present application (see reference #8 below), which was cited in the Information Disclosure Statements filed on May 11, 2004.

(d) The following references, copies of which are attached herewith, are deemed most closely related to the subject matter encompassed by the claims:

- (1) U.S. Patent No. 3,795,901;
- (2) U.S. Patent No. 5,832,510;
- (3) U.S. Patent No. 6,681,303 B1;
- (4) U.S. Patent Publication No. 2003/0033463 A1;
- (5) U.S. Patent Publication No. 2003/0041207 A1;
- (6) U.S. Patent Publication No. 2003/0182526 A1;
- (7) U.S. Patent Publication No. 2004/0107246 A1; and
- (8) Japanese Patent Publication No. 2001-306414.

(e) Set forth below is a detailed discussion of references which points out with particularity how the claimed subject matter is distinguishable over the references.

A. Claimed Embodiments of the Present Invention

The claimed embodiments relate to an information processing system and a storage system involving remote copying and data recovery.

Independent claim 1 recites an information processing system including a first information processing apparatus having a first communication port for transmitting and receiving data; a second information processing apparatus having a second communication port for transmitting and receiving data; and a communicating portion for executing bi-directional communication between the first communication port and the second communication port. The information processing system comprises a utilizing portion for utilizing the communicating portion, for communication in a direction for which a first application program run on the first information processing apparatus sets the first communication port and the second communication port respectively as the sender and the destination of data; and another utilizing portion for utilizing the communicating portion, for communication in a direction for which a second application program run on the second information processing apparatus sets the second communication port and the first communication port respectively as the sender and the destination of data.

Independent claim 2 recites a storage system including a first storage device controller connected to a first storage device; a second storage device controller connected to a second storage device; a first communication port that the first storage device controller has for transmission and reception of data; a second communication port that the second storage device controller has for transmission and reception of data; a communicating portion for carrying out bi-directional communication between the first communication port and the second communication port, and being configured to write the data to be written to the first storage device also to the second storage device; a utilizing portion for utilizing the communicating portion, for communication in a direction for which a first application program run on the first information processing apparatus sets the first communication port and the second communication port respectively as the sender and the destination of data; and another utilizing portion for utilizing the communicating portion, for communication in a direction for which a second application program run on the second information processing apparatus sets the second communication port and the first communication port respectively as the sender and the destination of data.

Independent claim 5 recites a first information processing apparatus in an information processing system including the first information processing apparatus having a

first communication port for transmitting and receiving data; second communication port for transmitting and receiving data; and a communicating portion for executing bi-directional communication between the first communication port and the second communication port. The first information processing apparatus comprises a utilizing portion for utilizing the communicating portion, for communication in a direction for which an application program run on the first information processing apparatus sets the first communication port and the second communication port respectively as the sender and the destination of data.

Independent claim 6 recites a second information processing apparatus in an information processing system including a first information processing apparatus having a first communication port for transmitting and receiving data; the second information processing apparatus having a second communication port for transmitting and receiving data; and a communicating portion for executing bi-directional communication between the first communication port and the second communication port. The second information processing apparatus comprises a utilizing portion for utilizing the communicating portion, for communication in a direction for which an application program run on the second information processing apparatus sets the second communication port and the first communication port respectively as the sender and the destination of data.

Independent claim 7 recites a first storage device controller in a storage system including the first storage device controller connected to a first storage device; a second storage device controller connected to a second storage device; a first communication port that the first storage device controller has for transmission and reception of data; a second communication port that the second storage device controller has for transmission and reception of data; and a communicating portion for carrying out bi-directional communication between the first communication port and the second communication port, and being configured to write the data to be written to the first storage device also to the second storage device. The first storage device controller comprises a utilizing portion for utilizing the communicating portion, for communication in a direction for which an application program run on the first storage device controller sets the first communication port and the second communication port respectively as the sender and the destination of data.

Independent claim 10 recites a second storage device controller in a storage system including a first storage device controller connected to a first storage device; the

second storage device controller connected to a second storage device; a first communication port that the first storage device controller has for transmission and reception of data; a second communication port that the second storage device controller has for transmission and reception of data; and a communicating portion for carrying out bi-directional communication between the first communication port and the second communication port, and being configured to write the data to be written to the first storage device also to the second storage device. The second storage device controller comprises a utilizing portion for utilizing the communicating portion, for communication in a direction for which an application program run on the second storage device controller sets the first communication port and the second communication port respectively as the sender and the destination of data.

Independent claim 13 recites a computer-readable medium containing a computer program software for causing an information processing system including a first information processing apparatus having a first communication port for transmitting and receiving data; a second information processing apparatus having a second communication port for transmitting and receiving data; and a communicating portion for executing bi-directional communication between the first communication port and the second communication port, to execute the steps of: utilizing the communicating portion, for communication in a direction for which the first communication port and the second communication port are respectively set as the sender and the destination of data; and utilizing the communicating portion, for communication in a direction for which the second communication port and the first communication port are respectively set as the sender and the destination of data.

Independent claim 14 recites a computer-readable medium containing a computer program software for causing a storage system including a first storage device controller connected to a first storage device; a second storage device controller connected to a second storage device; a first communication port that the first storage device controller has for transmission and reception of data; a second communication port that the second storage device controller has for transmission and reception of data; and a communicating portion for carrying out bi-directional communication between the first communication port and the second communication port, and having a function for writing the data to be written to the first storage device also to the second storage device, to execute the steps of: utilizing the

communicating portion, for communication in a direction for which the first communication port and the second communication port are respectively set as the sender and the destination of data; and utilizing the communicating portion, for communication in a direction for which the second communication port and the first communication port are respectively set as the sender and the destination of data.

One of the benefits that may be derived is that a communication path is effectively used for carrying out remote copying and facilitating the recovery work of the remote copying.

B. Discussion of the References

None of the following references disclose a communicating portion for executing bi-directional communication between a first communication port of a first information processing apparatus and a second communication port of a second information processing apparatus, and utilizing the communicating portion: (1) for communication in a direction for which a first application program run on the first information processing apparatus sets the first communication port and the second communication port respectively as the sender and the destination of data; and/or (2) for communication in a direction for which a second application program run on the second information processing apparatus sets the second communication port and the first communication port respectively as the sender and the destination of data.

1. U.S. Patent No. 3,795,901

This reference relates to a data processing memory system with bidirectional data bus using a single bidirectional data bus for transmitting data and other information between two or more units of a digital computer or other data processing system. See column 2, lines 1-5.

2. U.S. Patent No. 5,832,510

This reference relates to a control method for the information processing system, and a storage medium for storing programs for performing the control, having a program provided on a first server information processing device and an agent program provided on a second server information processing device.

3. U.S. Patent No. 6,681,303 B1

This reference discloses an information system coupled to a CPU, comprising: a first and a second storage system each of which comprises a controller and a storage device controlled by a controller; an inter controller path via which first storage system and second storage system are coupled, a first storage system receiving an instruction and sends data stored in a partial area of the logical volume to a second storage system via an inter controller path, with a second storage system writing data.

4. U.S. Patent Publication No. 2003/0033463 A1

This reference discloses a computer system having information processing module that comprises two module storage connections, including a first and a second plurality of port bypass controllers interconnected to form first and second chains of port bypass controllers, with respective port bypass controllers of the first and second chains being connectable to a respective carrier storage connections at each module receiving location.

5. U.S. Patent Publication No. 2003/0041207 A1

This reference relates to a controller device having a transmission and reception circuit, a first control part having plurality of connection ports connected to the information processing apparatus, a port number storage part, a second control part and port.

6. U.S. Patent Publication No. 2003/0182526 A1

This reference relates to a method for controlling a transfer of information between a first storage system and a second storage system in which the first storage system receives a command and the first storage system receives a first data-write command, recording first information on a first information storage medium and either sending a second data-write command that corresponds to the first data-write command to a second storage system for recording second information corresponding to the first information on a second storage medium. See paragraph [0024].

7. U.S. Patent Publication No. 2004/0107246 A1

This reference discloses a control system and control method, method and apparatus for processing information, information processing terminal and method thereof,


storage medium, and program. It further shows a first device serving as a controlling device and a second device serving as a controlled device that can communicate with each other whenever communication is needed, a first device can transmit various data including a request to the second device, and conversely a second device can transmit various data to a first device, whenever transmission is required.

8. Japanese Patent Publication No. 2001-306414

This reference relates to a remote copy system for storage device, and a way to solve the problem that the remote copy transfer speed of a storage device is slow in a computer system for realizing remote copying between plural storage devices and thereby the throughput of a host I/O has been interrupted. A host computer is connected to plural storage devices through a fiber channel and remote copying is performed through the fiber channel. A storage device to be a copying source performs log-in by applying information capable of identifying log-in from the storage device itself and a storage device for receiving the log-in determines a remote side storage device and a port candidate by returning information for specifying a port capable of performing remote copying only at the time of receiving the log-in from the storage device concerned.

(f) In view of this petition, the Examiner is respectfully requested to issue a first Office Action at an early date.

Respectfully submitted,



Chun-Pok Leung
Reg. No. 41,405


TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, 8th Floor
San Francisco, California 94111-3834
Tel: 650-326-2400
Fax: 415-576-0300
Attachments
RL:rl
60365412 v1


TRANSMITTAL FORM <small>(to be used for all correspondence after initial filing)</small>	Application Number	10/722,781
	Filing Date	November 25, 2003
	First Named Inventor	Furuumi, Noboru
	Art Unit	2186
	Examiner Name	Unassigned
	Attorney Docket Number	16869K-102000US
Total Number of Pages in This Submission		

RECEIVED

JUN 21 2005

Technology Center 2100

ENCLOSURES (Check all that apply)		
<input checked="" type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input checked="" type="checkbox"/> Preliminary Amendment/ <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Reply to Missing Parts/ Incomplete Application <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input checked="" type="checkbox"/> Petition to Make Special <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____ <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> After Allowance Communication to TC <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input checked="" type="checkbox"/> Other Enclosure(s) (please identify below): Return Postcard
Remarks: The Commissioner is authorized to charge any additional fees to Deposit Account 20-1430. The Commissioner is authorized to charge any additional fees to Deposit Account 20-1430.		
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		
Firm Name	Townsend and Townsend and Crew LLP	
Signature		
Printed name	Chun-Pok Leung	
Date	December 30, 2004	Reg. No. 41,405

CERTIFICATE OF TRANSMISSION/MAILING		
Express Mail Label: EV530892781US		
I hereby certify that this correspondence is being deposited with the United States Postal Service with "Express Mail Post Office to Address" service under 37 CFR 1.10 on this date December 30, 2004 and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.		
Signature		
Typed or printed name	Elizabeth Nesbitt	Date December 30, 2004

RECEIVED

JUN 21 2005

Technology Center 2100

TO THE U.S. PATENT AND TRADEMARK OFFICE:

60387466 v1

Application No.: 10/722,781	Docket No.: 16869K-102000US
Confirmation No.: 7247	Attorney: RL
Due Date: NONE	
Date Mailed: December 30, 2004	

ENTERED

Please stamp the date of receipt of the following documents and return this card to addressee.

JAN 18 2005

- Transmittal Form (1 page)
- Fee Transmittal Form (1 page in duplicate)
- Preliminary Amendment (10 pages)
- Petition to Make Special (8 pages)
- 8 Patent References



EV 530892781 US

Customer Copy #1
Label 11-F June 2002 02

Post Office To Addressee

ORIGIN (POSTAL USE ONLY)				DELIVERY (POSTAL USE ONLY)			
PO ZIP 94301	Day of Delivery <input type="checkbox"/> Next <input checked="" type="checkbox"/> Second <input type="checkbox"/> Flat Rate Envelope	Postage \$21.05		Delivery Attempt	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature	
Date 12-30-04	<input type="checkbox"/> 12 Noon <input type="checkbox"/> 3 PM	Return Receipt Fee		Delivery Attempt	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature	
Time 12:30	Military <input type="checkbox"/> 2nd Day <input type="checkbox"/> 3rd Day	Insurance Fee		Delivery Date	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature	
Weight 12.20 lbs.	Int'l Alpha Country Code	COD Fee		<input type="checkbox"/> WAIVER OF SIGNATURE (Domestic Only) Additional merchandise inspection is held if waiver of signature is requested. (I wish delivery to be made without obtaining signature of addressee or addressee's agent (if delivery employee judges that article served left in secure location) and I authorize that delivery employee's signature constitutes valid proof of delivery.			
No Delivery <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday	Acceptance Clerk Initials	Total Postage & Fees \$21.05		NO DELIVERY <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday	Customer Signature		

CUSTOMER USE ONLY METHOD OF PAYMENT: X941856 Express Mail Corporate Acct. No.		Federal Agency Acct. No. or Postal Service Acct. No.
FROM: (PLEASE PRINT) TOWNSEND TOWNSEND & CREW LLP 379 LYTTON AVE PALO ALTO CA 94301-1431	PHONE: 650 326 2400	TO: (PLEASE PRINT) COMMISSIONER FOR PATENTS PO BOX 1430 ALEXANDRIA VA 22313-1430
16869K-102000 US RL		
PRESS HARD. You are making 3 copies. FOR PICKUP OR TRACKING CALL 1-800-222-1811 www.usps.com		

EV530892781US